

| Παρασκευή, 23 Σεπτέμβριος 2022 |                        | Προτεινόμενος ΗΕΠ Μεγίστης |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |              |
|--------------------------------|------------------------|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| Ωρες Κατανομής                 |                        | 00                         | 01    | 02    | 03    | 04    | 05    | 06    | 07    | 08    | 09    | 10    | 11    | 12    | 13    | 14    | 15    | 16    | 17    | 18    | 19    | 20    | 21    | 22    | 23    | ΣΥΝΟΛΟ (MWh) |
| Εκτίμηση ζήτησης (MWh)         |                        | 0,609                      | 0,589 | 0,554 | 0,545 | 0,499 | 0,503 | 0,506 | 0,539 | 0,577 | 0,583 | 0,600 | 0,600 | 0,620 | 0,665 | 0,688 | 0,670 | 0,643 | 0,630 | 0,627 | 0,686 | 0,695 | 0,635 | 0,601 | 0,622 | 14,49        |
| Μονάδα                         | Αποδιδόμενη Ισχύς (MW) |                            |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |              |
| G2 (VOLVO PENTA TAD 1645GE)    | 0,4                    | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |
| G2 (VOLVO PENTA TAD 1645GE)    | 0,4                    | 1                          | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     |              |
| G3 (CUMMINS VTA 28G5)          | 0,4                    | 1                          | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     |              |
| G4 (VOLVO PENTA TAD 1345GE)    | 0,25                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     |              |
| G5 (HYUNDAI KD8AX)             | 0,2                    | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     |              |
| G6 (DOOSAN P158LE-2)           | 0,22                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     |              |
| G7 (DOOSAN P158LE-2)           | 0,22                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 1     | 1     | 1     | 0     | 0     | 0     | 1     | 1     | 0     | 0     | 0     |              |

| Σάββατο, 24 Σεπτέμβριος 2022 |                        | Προτεινόμενος ΗΕΠ Μεγίστης |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |              |  |
|------------------------------|------------------------|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|--|
| Ωρες Κατανομής               |                        | 00                         | 01    | 02    | 03    | 04    | 05    | 06    | 07    | 08    | 09    | 10    | 11    | 12    | 13    | 14    | 15    | 16    | 17    | 18    | 19    | 20    | 21    | 22    | 23    | ΣΥΝΟΛΟ (MWh) |  |
| Εκτίμηση ζήτησης (MWh)       |                        | 0,574                      | 0,548 | 0,514 | 0,507 | 0,499 | 0,500 | 0,496 | 0,512 | 0,568 | 0,585 | 0,609 | 0,622 | 0,655 | 0,670 | 0,672 | 0,659 | 0,631 | 0,618 | 0,632 | 0,680 | 0,693 | 0,656 | 0,615 | 0,596 | 14,31        |  |
| Μονάδα                       | Αποδιδόμενη Ισχύς (MW) |                            |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |              |  |
| G2 (VOLVO PENTA TAD 1645GE)  | 0,4                    | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |  |
| G2 (VOLVO PENTA TAD 1645GE)  | 0,4                    | 1                          | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | Διαθέσιμη    |  |
| G3 (CUMMINS VTA 28G5)        | 0,4                    | 1                          | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | Διαθέσιμη    |  |
| G4 (VOLVO PENTA TAD 1345GE)  | 0,25                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |  |
| G5 (HYUNDAI KD8AX)           | 0,2                    | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |  |
| G6 (DOOSAN P158LE-2)         | 0,22                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |  |
| G7 (DOOSAN P158LE-2)         | 0,22                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 1     | 1     | 1     | 1     | 0     | 0     | 0     | 1     | 1     | 1     | 0     | 0     | Διαθέσιμη    |  |

| Κυριακή, 25 Σεπτέμβριος 2022 |                        | Προτεινόμενος ΗΕΠ Μεγίστης |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |              |  |
|------------------------------|------------------------|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|--|
| Ωρες Κατανομής               |                        | 00                         | 01    | 02    | 03    | 04    | 05    | 06    | 07    | 08    | 09    | 10    | 11    | 12    | 13    | 14    | 15    | 16    | 17    | 18    | 19    | 20    | 21    | 22    | 23    | ΣΥΝΟΛΟ (MWh) |  |
| Εκτίμηση ζήτησης (MWh)       |                        | 0,570                      | 0,558 | 0,555 | 0,559 | 0,550 | 0,557 | 0,555 | 0,585 | 0,611 | 0,607 | 0,624 | 0,631 | 0,637 | 0,666 | 0,676 | 0,632 | 0,606 | 0,588 | 0,603 | 0,687 | 0,710 | 0,665 | 0,644 | 0,621 | 14,70        |  |
| Μονάδα                       | Αποδιδόμενη Ισχύς (MW) |                            |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |              |  |
| G2 (VOLVO PENTA TAD 1645GE)  | 0,4                    | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |  |
| G2 (VOLVO PENTA TAD 1645GE)  | 0,4                    | 1                          | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | Διαθέσιμη    |  |
| G3 (CUMMINS VTA 28G5)        | 0,4                    | 1                          | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | Διαθέσιμη    |  |
| G4 (VOLVO PENTA TAD 1345GE)  | 0,25                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |  |
| G5 (HYUNDAI KD8AX)           | 0,2                    | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |  |
| G6 (DOOSAN P158LE-2)         | 0,22                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |  |
| G7 (DOOSAN P158LE-2)         | 0,22                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 1     | 1     | 0     | 0     | 0     | 0     | 1     | 1     | 1     | 1     | 0     | Διαθέσιμη    |  |

| Δευτέρα, 26 Σεπτέμβριος 2022 |                        | Προτεινόμενος ΗΕΠ Μεγίστης |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |              |
|------------------------------|------------------------|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|
| Ωρες Κατανομής               |                        | 00                         | 01    | 02    | 03    | 04    | 05    | 06    | 07    | 08    | 09    | 10    | 11    | 12    | 13    | 14    | 15    | 16    | 17    | 18    | 19    | 20    | 21    | 22    | 23    | ΣΥΝΟΛΟ (MWh) |
| Εκτίμηση ζήτησης (MWh)       |                        | 0,594                      | 0,585 | 0,550 | 0,501 | 0,490 | 0,504 | 0,507 | 0,533 | 0,575 | 0,568 | 0,562 | 0,579 | 0,645 | 0,697 | 0,687 | 0,681 | 0,661 | 0,653 | 0,664 | 0,712 | 0,724 | 0,687 | 0,657 | 0,634 | 14,65        |
| Μονάδα                       | Αποδιδόμενη Ισχύς (MW) |                            |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |              |
| G2 (VOLVO PENTA TAD 1645GE)  | 0,4                    | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |
| G2 (VOLVO PENTA TAD 1645GE)  | 0,4                    | 1                          | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     |              |
| G3 (CUMMINS VTA 28G5)        | 0,4                    | 1                          | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     |              |
| G4 (VOLVO PENTA TAD 1345GE)  | 0,25                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     |              |
| G5 (HYUNDAI KD8AX)           | 0,2                    | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     |              |
| G6 (DOOSAN P158LE-2)         | 0,22                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     |              |
| G7 (DOOSAN P158LE-2)         | 0,22                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 0     |              |

| Τρίτη, 27 Σεπτέμβριος 2022  |                        | Προτεινόμενος ΗΕΠ Μεγίστης |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |              |           |
|-----------------------------|------------------------|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|-----------|
| Ωρες Κατανομής              |                        | 00                         | 01    | 02    | 03    | 04    | 05    | 06    | 07    | 08    | 09    | 10    | 11    | 12    | 13    | 14    | 15    | 16    | 17    | 18    | 19    | 20    | 21    | 22    | 23    | ΣΥΝΟΛΟ (MWh) |           |
| Εκτίμηση ζήτησης (MWh)      |                        | 0,633                      | 0,601 | 0,567 | 0,549 | 0,461 | 0,463 | 0,468 | 0,512 | 0,567 | 0,612 | 0,654 | 0,645 | 0,685 | 0,692 | 0,752 | 0,727 | 0,684 | 0,683 | 0,670 | 0,731 | 0,706 | 0,633 | 0,607 | 0,637 | 14,94        |           |
| Μονάδα                      | Αποδιδόμενη Ισχύς (MW) |                            |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |              |           |
| G2 (VOLVO PENTA TAD 1645GE) | 0,4                    | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |           |
| G2 (VOLVO PENTA TAD 1645GE) | 0,4                    | 1                          | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | Διαθέσιμη    |           |
| G3 (CUMMINS VTA 28G5)       | 0,4                    | 1                          | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | Διαθέσιμη    |           |
| G4 (VOLVO PENTA TAD 1345GE) | 0,25                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |           |
| G5 (HYUNDAI KD8AX)          | 0,2                    | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |           |
| G6 (DOOSAN P158LE-2)        | 0,22                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |           |
| G7 (DOOSAN P158LE-2)        | 0,22                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 0     | 0     | 0            | Διαθέσιμη |

| Τετάρτη, 28 Σεπτέμβριος 2022 |                        | Προτεινόμενος ΗΕΠ Μεγίστης |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |              |  |
|------------------------------|------------------------|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|--|
| Ωρες Κατανομής               |                        | 00                         | 01    | 02    | 03    | 04    | 05    | 06    | 07    | 08    | 09    | 10    | 11    | 12    | 13    | 14    | 15    | 16    | 17    | 18    | 19    | 20    | 21    | 22    | 23    | ΣΥΝΟΛΟ (MWh) |  |
| Εκτίμηση ζήτησης (MWh)       |                        | 0,584                      | 0,577 | 0,542 | 0,541 | 0,538 | 0,544 | 0,543 | 0,567 | 0,587 | 0,554 | 0,546 | 0,554 | 0,605 | 0,638 | 0,625 | 0,612 | 0,601 | 0,577 | 0,585 | 0,679 | 0,698 | 0,684 | 0,594 | 0,607 | 14,18        |  |
| Μονάδα                       | Αποδιδόμενη Ισχύς (MW) |                            |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |              |  |
| G2 (VOLVO PENTA TAD 1645GE)  | 0,4                    | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |  |
| G2 (VOLVO PENTA TAD 1645GE)  | 0,4                    | 1                          | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | Διαθέσιμη    |  |
| G3 (CUMMINS VTA 28G5)        | 0,4                    | 1                          | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | Διαθέσιμη    |  |
| G4 (VOLVO PENTA TAD 1345GE)  | 0,25                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |  |
| G5 (HYUNDAI KD8AX)           | 0,2                    | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |  |
| G6 (DOOSAN P158LE-2)         | 0,22                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |  |
| G7 (DOOSAN P158LE-2)         | 0,22                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 1     | 1     | 1     | 0     | 0     | Διαθέσιμη    |  |

| Πέμπτη, 29 Σεπτέμβριος 2022 |                        | Προτεινόμενος ΗΕΠ Μεγίστης |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |              |           |
|-----------------------------|------------------------|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|-----------|
| Ωρες Κατανομής              |                        | 00                         | 01    | 02    | 03    | 04    | 05    | 06    | 07    | 08    | 09    | 10    | 11    | 12    | 13    | 14    | 15    | 16    | 17    | 18    | 19    | 20    | 21    | 22    | 23    | ΣΥΝΟΛΟ (MWh) |           |
| Εκτίμηση ζήτησης (MWh)      |                        | 0,618                      | 0,597 | 0,563 | 0,504 | 0,452 | 0,464 | 0,470 | 0,505 | 0,565 | 0,596 | 0,615 | 0,624 | 0,660 | 0,723 | 0,750 | 0,738 | 0,703 | 0,707 | 0,706 | 0,757 | 0,735 | 0,685 | 0,664 | 0,649 | 15,05        |           |
| Μονάδα                      | Αποδιδόμενη Ισχύς (MW) |                            |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |              |           |
| G2 (VOLVO PENTA TAD 1645GE) | 0,4                    | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | Διαθέσιμη    |           |
| G2 (VOLVO PENTA TAD 1645GE) | 0,4                    | 1                          | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1            | Διαθέσιμη |
| G3 (CUMMINS VTA 28G5)       | 0,4                    | 1                          | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1            | Διαθέσιμη |
| G4 (VOLVO PENTA TAD 1345GE) | 0,25                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0            | Διαθέσιμη |
| G5 (HYUNDAI KD8AX)          | 0,2                    | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0            | Διαθέσιμη |
| G6 (DOOSAN P158LE-2)        | 0,22                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0            | Διαθέσιμη |
| G7 (DOOSAN P158LE-2)        | 0,22                   | 0                          | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1     | 1            | Διαθέσιμη |