

| ΗΣ ΣΙΦΝΟΥ | | Προτεινόμενος ΗΕΠ για την Επόμενη Ημέρα | | | | | | Πέμπτη, 18 Ιουλίου 2024 | | | | | | | |
|------------------|----------------|---|--|--|-------------------------|-------|-------|-------------------------|-------|-------|-------|-------|-------|-------|-------|
| | | Αποδιδόμενη Ισχύς (MW) | | | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,100 | 1,000 | 1,000 | 1,000 |
| Α Ρ Χ Η | Χρονική στιγμή | Πρόβλεψη Μέσου Ωριαίου Φορτίου (MW) | Πρόβλεψη Θερμικής Παραγωγής (MW) | Πρόβλεψη Αιολικής Παραγωγής (MW) | G1 | G2 | G3 | G4 | G5 | G6 | G7 | G8 | G10 | G11 | G12 |
| | | | | | Πέμπτη, 18 Ιουλίου 2024 | 00:00 | 4,89 | 4,18 | 0,71 | 1 | 1 | 1 | 1 | 1 | |
| 01:00 | 4,57 | 3,95 | 0,61 | 1 | | 1 | 1 | 1 | 1 | | | | | | |
| 02:00 | 4,31 | 3,59 | 0,71 | 1 | | 1 | 1 | 1 | 1 | | | | | | |
| 03:00 | 4,13 | 3,08 | 1,04 | 1 | | 1 | 1 | 1 | | | | | | | |
| 04:00 | 3,96 | 2,76 | 1,20 | 1 | | 1 | 1 | 1 | | | | | | | |
| 05:00 | 3,84 | 2,64 | 1,20 | 1 | | 1 | 1 | 1 | | | | | | | |
| 06:00 | 3,73 | 2,53 | 1,20 | 1 | | 1 | 1 | 1 | | | | | | | |
| 07:00 | 3,91 | 2,83 | 1,08 | 1 | | 1 | 1 | 1 | | | | | | | |
| 08:00 | 4,22 | 3,34 | 0,87 | 1 | | 1 | 1 | 1 | 1 | | | | | | |
| 09:00 | 4,48 | 3,58 | 0,90 | 1 | | 1 | 1 | 1 | 1 | | | | | | |
| 10:00 | 4,63 | 3,81 | 0,82 | 1 | | 1 | 1 | 1 | 1 | | | | | | |
| 11:00 | 4,76 | 3,86 | 0,90 | 1 | | 1 | 1 | 1 | 1 | | | | | | |
| 12:00 | 4,86 | 3,82 | 1,04 | 1 | | 1 | 1 | 1 | 1 | | | | | | |
| 13:00 | 4,97 | 3,82 | 1,15 | 1 | | 1 | 1 | 1 | 1 | | | | | | |
| 14:00 | 5,09 | 3,89 | 1,20 | 1 | | 1 | 1 | 1 | 1 | | | | | | |
| 15:00 | 5,11 | 3,91 | 1,20 | 1 | | 1 | 1 | 1 | 1 | | | | | | |
| 16:00 | 5,18 | 3,98 | 1,20 | 1 | | 1 | 1 | 1 | 1 | 1 | | | | | |
| 17:00 | 5,23 | 4,03 | 1,20 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| 18:00 | 5,45 | 4,25 | 1,20 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| 19:00 | 5,59 | 4,39 | 1,20 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| 20:00 | 5,76 | 4,56 | 1,20 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| 21:00 | 6,01 | 4,81 | 1,20 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| 22:00 | 5,99 | 4,79 | 1,20 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |
| 23:00 | 5,80 | 4,60 | 1,20 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | | | | |

Μη διαθεσιμότητα μονάδας λόγω συντήρησης
 Μη διαθεσιμότητα μονάδας λόγω βλάβης